

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility DOCK INN TAVERN	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 20140115	Date 03/25/2014
Address: 92 VINE STREET GALLIPOLIS, OH 45631		Category/Descriptive COMMERCIAL CLASS 2 <25,000 SQ. FT.	
License holder BILLY JOE PATTERSON	Inspection Time (min) 30	Travel Time (min) 5	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) //	Sample date/result(if required) //

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
<input checked="" type="checkbox"/> 4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
<input checked="" type="checkbox"/> 6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administration

901:3-4 OAC
3701-21 OAC

Violations/Comment(s)

- 4.5(D)
 -- Found debris in the microwave.
 -- Microwave shall be clean of debris to prevent the growth of organisms.
 -- Microwave shall be cleaned as soon as possible.

- 6.1(A)
 -- Found fan vents in walk in to have dust on them.
 -- Vents shall be clean of debris to prevent contamination.
 -- Vents shall be cleaned as soon as possible.

- 6.4(B)
 -- Found walk in cooler walls and ceiling to be in need of repair.
 -- Areas shall be smooth and easily cleanable.
 -- Areas shall be replaced/repared as soon as possible.

- Temperatures at time of inspection were as follows:
 -- Cole Slaw: 40°F
 -- Serves premade pizza and prepackaged sandwiches.

Inspected by BOBBI CONNRAD	R.S./SIT # 132937	Licensor Gallia County Health District
Received by	Title	Phone 1-740-446-6825

As per HEA 5302 4/10 CHC Software, Inc.
 As per AGR 1268 4/10 CHC Software, Inc.